



## SHARP AUTOMATIC MULTI HEAD SCREW CAP SEALING MACHINE

### Key Features

- No container no cap arrangement.
- Single motor synchronizes conveyor, star wheel & platform turret.
- Adjustable height of conveyor belt.
- All contact parts are made out of stainless steel.
- Pick & Place arrangement.
- Torque adjustable.
- Low noise level, low power consumptions.

### Optional Features

- No cap no container arrangement.
- Motorized Height Adjustments.
- Acrylic cabinet.
- Safety Guard for Operation and Protection.
- Specially designed hopper is to increase storage capacity of bowl.



# SASCM-100/150/200



# SHARP AUTOMATIC MULTI HEAD SCREW CAP SEALING MACHINE



## TECHNICAL SPECIFICATION :

<b>Model</b>		<b>SASCM -100</b>	<b>SASCM - 150</b>	<b>SASCM - 200</b>
Output / Hour *		3600 to 6000 Bottles	3600 to 9000 Bottles	4000 to 12,000 Bottles
Direction of Movement		Left to Right		
Number of head **		4 Nos.	6 Nos.	8 Nos.
Electrical Specification	Main Motor	1.5 HP / 415 Volts / 50 Hz.		1.5 HP / 415 Volts / 50 Hz.
	Cap feeding Bowl	0.25 HP / 415 Volts / 50 Hz.		0.25 HP / 415 Volts / 50 Hz.
Height of Conveyor		860 mm to 910 mm		
Machine Dimensions		2135 mm (L) x 1120 mm (W) x 2250 mm (H) Approx		2135 mm (L) x 1200 mm (W) x 2250 mm (H) Approx
Case Dimensions		2650 mm (L) x 1250 mm (W) x 2250 mm (H) Approx		2650 mm (L) x 1320 mm (W) x 2250 mm (H) Approx
Net Weight		900Kgs. Approx		1200 Kgs. Approx
Gross Weight		1250 Kgs. Approx	1300 Kgs. Approx	1550 Kgs. Approx
Change parts required		(A) Container: Star Wheel, Center guide, Feed Worm.(B) Cap: Die, Delivery chute, bowl.		

\* Depends on Cap.Size

\*\*We can supply as per client's requirement



# SHARP AUTOMATIC MULTI HEAD SCREW CAP SEALING MACHINE



DEMONSTRATION AVAILABLE

